

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	@ad<="20030917" (target with cell) (unavailabl\$5 near5 indicat\$5) with send\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:24
L4	0	@ad<="20030917" (target with cell) (unavailabl\$5 near5 message) with send\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:24
L5	34	@ad<="20030917" (target with cell) (unavailabl\$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:24
L6	7	@ad<="20030917" (target with cell) same (unavailabl\$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:25
L7	4	@ad<="20030917" (destination with cell) same (unavailabl\$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:26
L8	164	@ad<="20030917" (destination or target) same (unavailabl\$5 near5 indicat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:27
L9	39	@ad<="20030917" (destination or target) same (unavailabl\$5 near5 indicat\$5) mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:27
L10	182	@ad<="20030917" (destination or target) same (unavailabl\$5) base with station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38
L11	173	@ad<="20030917" (destination or target) same (unavailabl\$5) base near2 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38

L12	68	@ad<="20030917" (destination or target) with (unavailabl\$5) base near2 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38
L13	50	@ad<="20030917" (destination or target) near5 (unavailabl\$5) base near2 station	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:38
L14	5	@ad<="20030917" (target near8 station near5 unavailabl\$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:48
L15	0	@ad<="20030917" (target near8 cell near5 unavailabl\$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:48
L16	0	@ad<="20030917" (target near8 cell near8 unavailabl\$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:48
L17	31	@ad<="20030917" (base near6 station near8 unavailabl\$5) same messag\$4 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 14:49
L18	0	@ad<="20030917" (forward near link\$4) with (no near2 supported)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28
L19	838	@ad<="20030917" (forward near link\$4) with (support\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28
L20	0	@ad<="20030917" (forward near link\$4) with (support\$3) mobile uhdh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28
L21	0	@ad<="20030917" (forward near link\$4) with (support\$3) uhdh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:28

L22	0	@ad<="20030917" (forward near link\$4) with (support\$3) universal near2 handoff near2 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:29
L23	5	@ad<="20030917" (forward near link\$4) with (support\$3) universal near3 message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:29
L24	2	@ad<="20030917" (forward near link\$4) with (support\$3 near8 target)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:30
L25	2	@ad<="20030917" (forward near4 link\$4) with (support\$3 near8 target)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:30
L26	7	@ad<="20030917" (base near6 station near8 unavailabl\$5) same messag\$4 mobile 370/319,320,328,329,331,332-335,338,342.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:42
L27	10	@ad<="20030917" (base near6 station near8 unavailabl\$5) same messag\$4 mobile 455/450,452.2,453,436,437,439.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 15:44
S1	32	@ad<="20030917" mobile (data near3 transmission) with terminate forward near2 link	US-PGPUB; USPAT	AND	OFF	2007/11/12 12:49
S2	12	@ad<="20030917" mobile (data near3 transmission) with terminate forward near2 link handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 12:59
S3	0	@ad<="20030917" mobile (data near3 transmission) (terminate with message) same (forward near2 link) handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 13:00
S4	0	@ad<="20030917" mobile (data transmission) (terminate with message) same (forward near2 link) handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 13:01
S5	26	@ad<="20030917" mobile (data transmission) (terminate with message) same forward handoff	US-PGPUB; USPAT	AND	OFF	2007/11/12 13:01
S6	1	"20030134636".did.	US-PGPUB; USPAT	AND	OFF	2007/11/12 14:57
S7	0	sayeedi-shahab.in,	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:54
S8	0	sayeedi-shahab.in.	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:54

S9	36	sayeedi-shahab-m.in.	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:54
S10	34	sayeedi-shahab-m.in. base near station\$2	US-PGPUB; USPAT	AND	OFF	2008/11/25 07:55
S11	34	sayeedi-shahab-m.in. base near station\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:03
S12	1	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) with unavailable	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:10
S13	78	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) with (unavailable near5 indica\$6 or messag\$3)	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:13
S14	7	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) unavailable with (indica\$6 or messag\$3)	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:13
S15	15	@ad<="20030917" mobile target near4 cell unavailabl\$5 with (indica\$6 or messag\$3)	US-PGPUB; USPAT	AND	OFF	2008/11/25 08:15
S16	15	@ad<="20030917" mobile target near4 cell unavailabl\$5 with (indica\$6 or messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:15
S17	7	@ad<="20030917" mobile (data near3 transmission) (target near4 cell) unavailable with (indica\$6 or messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:15
S18	9	@ad<="20030917" mobile (target near4 cell) same unavailabl\$5 (indica\$6 or messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:23
S19	9	@ad<="20030917" mobile (target near4 cell) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
S20	9	@ad<="20030917" mobile (target near7 cell) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
S21	43	@ad<="20030917" (target near7 cell) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31

S22	9	@ad<="20030917" (target near7 cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
S23	4	@ad<="20030917" (target near7 site) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:31
S24	53	@ad<="20030917" (target near7 site) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:32
S25	53	@ad<="20030917" (target near7 site) same unavailabl\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:33
S26	4	@ad<="20030917" (target near7 site) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:33
S27	12	@ad<="20030917" (target near7 station) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:33
S28	9	@ad<="20030917" (target near7 cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:42
S29	9	@ad<="20030917" (target with cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:42
S30	4	@prad<="20030917" (target with cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:42
S31	1	@rlad<="20030917" (target with cell) same unavailabl\$5 mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:55

S32	3	@ad<="20030917" (target with cell) same unavailabl\$5 wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:55
S33	3	@ad<="20030917" (target with cell) same unavailabl\$5 phone\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:56
S34	0	@prad<="20030917" (target with cell) same unavailabl\$5 phone\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:57
S35	1	@rlad<="20030917" (target with cell) same unavailabl\$5 phone\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:57
S36	7	@ad<="20030917" (target with cell) same unavailabl\$5 call	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/11/25 08:57

11/25/2008 3:46:02 PM

C:\Documents and Settings\rjain1\My Documents\EAST\Workspaces\10728052.wsp